



CLASSIC DURA™ CURE C

Water Based Curing Compound and Dust Proofer

Product:

Classic Dura™ Cure C is a curing aid and dust proofer for fresh concrete, floors, screeds, granolithic toppings and vertical surfaces. A clear non staining solution, which when applied becomes an integral part of concrete surface. Assists the curing process by preventing evaporation and helps attain strength, durability and surface hardness with improved dust proofing qualities. Can be used in all concrete and plastering surfaces where bonding is required

Advantages:

- Ready Mixed
- Economical to use – single coat
- Nontoxic and nonflammable
- Effective dust proofing properties
- Chloride free

Coverage

One litre of Classic Dura™ Cure C will cover 5 to 6 Sq.mt.

Uses:

All concrete and plastering surfaces where bonding is required

Pack:

5,10, 20 and 50 Litre container.

Description

Classic Dura™ Cure C is supplied as a clear, non staining, nontoxic aqueous solution, which when applied to fresh concrete surfaces, reacts with free lime and seals the pores, thus reducing the evaporation of water from the mix which assists the curing process. Classic Dura™ Cure C reduces the possibilities of shrinkage, hairline cracking and crazing by retaining moisture in the concrete for a long time. Classic Dura™ Cure C can be used in areas of poor ventilation and further treatment can be done on Classic Dura™ Cure C coated surface.

Typical Properties

Physical state: Colourless Liquid
Specific gravity: 1.100±0.01 at 27°C

Instructions For Use:

Uses

Classic Dura™ Cure C is ideally suited for treating vertical or horizontal surfaces which are to receive subsequent treatments, where wax resin based curing membranes would be unsuitable. Classic Dura™ Cure C is ideally suited for use in reservoirs and other water retaining structures. The fugitive dye used in Classic Dura™ Cure C colours the treated surface temporarily so that the treated areas can be distinguished easily and multiple applications over the same area are avoided.

Application

Classic Dura™ Cure C should be applied as quickly as possible on fresh concrete ensuring there is no free water on the surface at the time of application. On vertical surfaces after de

CLASSIC DURA™ CURE C

Water Based Curing Compound and Dust Proofer

shuttering. Dampen the surface with clean water before the application of **Classic Dura™ Cure C**. **Classic Dura™ Cure C** should be spray applied at an application rate of 5 – 6 m²/litre immediately after final troweling.

Cleaning

Clean all equipment with water and avoid contact with glass or paint work



Health and Safety

Classic Dura™ Cure C is alkaline. Gloves must be worn and use goggles for overhead

application to prevent contact with eye. Any splashes on skin should be washed with water.

Storage

One year life if stored under shade in original sealed containers.

TAMILNADU

Corporate Office

PRIMADONN BUILD TECH PVT LTD

No. 349, First Floor, Srinivasa Nagar, Kavaripeetai, Gummidipoondy 601 206.

Ph+91-8220513172,

Admin Office:

No.605, Selva Vinayaga Nagar, Grant Lyon Village, Ponneri Tk., Thiruvalluvar Dt., Ph+91-6379174327, +91-8438276059.

Manufacturing Unit

No.603, Selva Vinayaga Nagar, Grant Lyon, Vadagarai, Chennai 600 052. Ph.+91-9444907177

KARNATAKA

Corporate Office:

PRIMADONN CONSTRUCTION CHEMICALS (P) LTD.,

Talacauvery Layout, Basavanagar, Bangalore 560 037. Ph.+9150878429, +91-9345411355.

PONDICHERRY

Branch Office

192/A, Chinna Subburaya Pillai Street, Near Vaikal Cutting, Puducherry 605 001. Ph.0413-4208833, 91-+9514709240

Distributor's

151, Chinna Subburaya Pillai Street, Near Vaikal Cutting, Puducherry 605 001. Ph.0413-2222100, 91-+9345561820

Email: Info@Primadonn.com, Web: www.Primadonn.com

